



# Safety Data Sheet

## Section 1 – Identification of the Mixture and of the Company

### Product Identification

#### Primary Identifier(s) Used on the Label

Berryman *ENERGIZED ELECTRICAL PARTS CLEANER*

#### Product Synonym(s)

blend "PCE"

#### Product Number(s)

1540

### Relevant Identified Uses and Uses Advised Against

#### Recommended Uses

high-purity solvent for cleaning energized electrical parts

#### Uses Advised Against

not for use in some applications

### Manufacturer/Supplier Details

Berryman Products, Inc.  
3800 E Randol Mill Rd  
Arlington, TX 76011  
(800) 433-1704 (USA/Canada)  
(817) 640-2376 (international)  
www.BerrymanProducts.com

### Emergency 24-Hour Telephone Number(s) – InfoTrac, Inc.

(800) 535-5053 (USA/Canada)  
(352) 323-3500 (international)

## Section 2 – Hazards Identification

### Classification of the Substance or Mixture (29 CFR 1910.1200)

#### Physical Hazards

Gases Under Pressure – Compressed Gas

#### Health Hazards

Skin Irritant – Category 2

Eye Irritant – Category 2A

Carcinogen – Category 1B

Specific Target Organ Toxicity - Repeated Exposure – Category 2 (liver)

Environmental Hazard - Acute – Category 2

Environmental Hazard - Chronic – Category 2

### Allocation of Label Elements

#### Chemical Identity

Berryman *ENERGIZED ELECTRICAL PARTS CLEANER*

#### Pictograms



#### Signal Word

WARNING

**Hazard Statements**

H280 – Contains gas under pressure; may explode if heated.

H315 – Causes skin irritation.

H320 – Causes eye irritation.

H350 – May cause cancer.

H373 – May cause damage to blood/blood system, central nervous system, or liver through prolonged or repeated exposure.

H411 – Toxic to aquatic life with long-lasting effects.

**Prevention Precautionary Statements**

P101 – Keep out of reach of children.

P102 – Read label before use.

P201 – Obtain special instructions before use.

P202 – Do not handle until all safety precautions have been read and understood.

P251 – Do not pierce or burn, even after use.

P260 – Do not breathe fumes, gas, mist, vapor, or spray.

P264 – Wash thoroughly after handling.

P273 – Avoid release to the environment.

P280 – Wear protective gloves, protective clothing, and eye or face protection.

**Response Precautionary Statements**

P321 – Specific treatment available in this document in “Section 4 – First Aid Measures.”

P302/P352 – IF ON SKIN: Wash with plenty of or shower.

P305/P351/P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P308/P313 – If exposed or concerned, get medical advice/attention.

P332/P313 – If skin irritation occurs, get medical advice/attention.

P337/P313 – If eye irritation persists, get medical advice/attention.

P362/364 – Take off contaminated clothing and launder before reuse.

P391 – Collect spillage.

**Storage Precautionary Statements**

P405 – Store locked-up.

P410/P412 – Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C).

**Disposal Precautionary Statements**

P501 – Dispose of contents/container in accordance with local, regional, national, and international regulations, as applicable.

**Hazards Not Otherwise Classified**

none known

**Ingredients of unknown acute toxicity**

none

**Section 3 – Composition/Information on Ingredients**

<u>Component</u>	<u>CAS RN</u>	<u>Weight</u>
Perchloroethylene	127-18-4	95-98%
Carbon Dioxide	124-38-9	2-5%

**Section 4 – First Aid Measures****Description of First Aid Measures****Ingestion**

Immediately call poison control center, hospital emergency room, or doctor. Do NOT induce vomiting. Rinse mouth. Drink 1-2 glasses of milk or water.

**Eye Contact**

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**Skin Contact**

Wash with plenty of soap and water or shower.

**Inhalation**

Remove person to fresh air and keep comfortable. If experiencing respiratory symptoms or if breathing is difficult, administer oxygen and call poison control center, hospital emergency room, or doctor.

**Most Important Symptoms and Effects****Acute/Immediate**

respiratory tract irritation; headache and lightheadedness; narcotic effects, including dizziness, drowsiness, and loss of coordination; nausea and vomiting

**Most Important Symptoms and Effects (cont'd.)****Delayed**

drying, cracking, or defatting of the skin

**Indications of Need for Immediate Medical Attention and Specific Treatment Required****Indications of Need for Immediate Medical Attention**

In the event of shortness of breath, difficulty breathing, spontaneous vomiting, or loss of consciousness, seek immediate medical attention.

**Specific Treatment and Notes to Physician**

Avoid administration of sympathomimetic drugs, such as epinephrine. If performing lavage, endotracheal and/or esophageal control is recommended. If spontaneous vomiting occurs, keep head below hips to avoid aspiration.

**Section 5 – Firefighting Measures****Fire Extinguishing Media****Support for Combustion**

Product does not support combustion.

**Suitable Extinguishing Media**

water fog, dry chemical, alcohol-resistant foam, or carbon dioxide

**Unsuitable Extinguishing Media**

water jet/spray (may cause fire to spread)

**Special Hazards/Considerations****Combustion Products**

Combustion in the presence of air may yield hydrocarbons; chlorinated hydrocarbons; organic oxygenates; oxides of carbon and chlorine; phosgene; and hydrochloric acid/hydrogen chloride gas.

**Special Protective Equipment and Precautions for Firefighters****Special Protective Equipment**

Firefighters should employ SCBA and full protective gear, including shield, as product is comprised of low-boiling solvents and may vent, rupture, or explode violently at elevated temperatures.

**Precautions and Procedures**

Pressurized container—may burst if heated. Vapors heavier than air. Remove product from area if safe to do so. Use water spray to cool nearby containers.

**Section 6 – Accidental Release Measures****Personal and Environmental Precautions****Personal Precautions**

Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapor, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, and eye or face protection.

**Environmental Precautions**

Avoid release to the environment. Prevent contamination of ground water.

**Materials and Methods for Containment****Small Spills**

Use socks/absorbent mini-booms or other inert barrier if necessary to contain small spills.

**Large Spills**

Use large socks/absorbent booms or other inert barrier to form dam/dike in order to contain large spills and prevent further loss.

**Materials and Methods for Cleanup****Small Spills**

Remove source from area if safe to do so. Use granular sorbent, gel sorbent, vermiculite, cat litter, dirt/earth, pads/rolls, or pillows to absorb spilled material. Remediate affected area as necessary.

**Large Spills**

Keep upwind from spill. Remove source from area if safe. Use mechanical transfer equipment to recover spilled material. Use granular sorbent, gel sorbent, vermiculite, cat litter, dirt, pads/rolls, or pillows to absorb residual material. Remediate affected area as necessary.

**Section 7 – Handling and Storage****Precautions for Safe Handling****Personal Precautions**

Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapor, or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, and eye or face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Precautions for Safe Handling (cont'd.)****Environmental Precautions**

Do not pierce or burn, even after use. Avoid release to the environment.

**Conditions and Considerations for Safe Storage**

Contains gas under pressure; may explode if heated. Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C). Store locked-up. Store according to NFPA Aerosol Level 1 recommendations.

**Section 8 – Exposure Controls/Personal Protection**

<u>Component</u>	<u>CAS RN</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Perchloroethylene	127-18-4	100 ppm	25 ppm
Carbon Dioxide	124-38-9	5000 ppm	5000 ppm

**Exposure Controls****Appropriate Engineering Controls**

If practical, use outside with positive cross-ventilation in order to reduce accumulation of vapor and minimize exposure.

**PPE Overview****Hand Protection**

Use of chemical-resistant gloves (EVAL, neoprene, nitrile/Buna-N, PVA, or Viton) is recommended.

**Eye Protection**

Use of safety glasses with wrap-around lens or goggles is recommended.

**Respiratory Protection**

If necessary, use respiratory protection sufficient to reduce exposure to permissible limits.

**Additional Protection**

For industrial settings, access to a chemical safety shower with eye wash station is strongly recommended.

**Section 9 – Physical and Chemical Properties****Information on Basic Physical and Chemical Properties****Physical State**

liquid

**Appearance**

clear, colorless

**Odor**

mild, solvent

**Odor Threshold**

5 ppm

**pH**

not relevant

**Freezing Point**

< -8°F

**Boiling Point**

250°F

**Flash Point and Method**

none by closed-cup tester

**Explosion Limits in Air**

N/A

**Evaporation Rate**

1.5 (n-Butyl Acetate=1.0)

**Vapor Pressure, as supplied**

80-120 PSI (typical)

**Vapor Density**

>1.0

**Specific Gravity**

1.58 at 68°F

**Density**

13.2 lb/gal at 68°F

**Water Solubility**

not soluble

**n-Octanol/Water Partition Coefficient (log P<sub>ow</sub>)**

3.4 (composite)

**Viscosity**

0.8 cSt at 68°F

**Information on Basic Physical and Chemical Properties (cont'd)****Volatility**

100% by weight

**Auto-ignition temperature**

N/A

**Decomposition temperature**

unknown

**Other Information****VOC Content**

0% by weight (EPA Method 24)

0% by weight (consumer products)

**VOC Composite Partial Pressure, PPC**

0.0 mm of Hg at 68°F

**Section 10 – Stability and Reactivity****Chemical Stability under Normal Conditions of Use****Chemical Stability**

Stable under normal conditions of use.

**Conditions Affording Instability**

none known

**Reactivity**

not expected

**Possibility of Hazardous Reactions**

none known

**Conditions to Avoid**

Avoid direct sunlight and excessive temperatures. Do not puncture, incinerate, or crush.

**Incompatible Materials**

strong acids; oxidizers; reducing agents; amines; vinyl compounds; and powdered zinc, aluminum, magnesium, potassium, and sodium

**Hazardous Decomposition Products**

hydrochloric acid/hydrogen chloride gas and phosgene

**Section 11 – Toxicological Information****Likely Routes of Exposure**

ingestion, skin contact, eye contact, inhalation

**Symptoms Related to Physical, Chemical, and Toxicological Characteristics****Ingestion****Large Quantity**

gastrointestinal disturbances, including upset stomach, cramping, nausea, vomiting, and diarrhea

**Small Quantity/Incidental Contact**

gastrointestinal disturbances, including upset stomach and cramping

**Skin Contact**

moderate irritation

**Eye Contact**

slight eye irritation

**Inhalation**

headache, lightheadedness

**Immediate, Delayed, and Chronic Effects*****SHORT-TERM EXPOSURE*****Potential Immediate Effects****Ingestion**

gastrointestinal disturbances, including upset stomach, cramping, nausea, vomiting, and diarrhea

**Skin Contact**

drying of the skin

**Eye Contact**

slight irritation

**Potential Immediate Effects (cont'd.)**

**Inhalation**

shortness of breath or difficulty breathing, headache, dizziness, and loss of consciousness

**Potential Delayed Effects**

**Ingestion**

aspiration pneumonitis, cyanosis, coma, death

**Skin Contact**

defatting of the skin, drying and cracking of the skin, aggravation of pre-existing skin conditions

**Eye Contact**

none known

**Inhalation**

nausea and vomiting

***LONG-TERM EXPOSURE***

**Potential Immediate Effects**

none known

**Potential Delayed Effects**

liver damage

**Potential Chronic Health Effects**

**Carcinogenicity**

International Agency for Research on Cancer (IARC) Monographs

Group 2A – Probable Human Carcinogen (Perchloroethylene)

National Toxicology Program (NTP) Report on Carcinogens

Reasonably Anticipated to Be a Human Carcinogen (Perchloroethylene)

**Mutagenicity / Genetic Toxicity**

not suspected of being a human mutagen / genetic toxicant

**Teratogenicity**

not suspected of being a human teratogen

**Developmental Effects**

not suspected of being a developmental toxicant

**Fertility Effects**

not suspected of being a reproductive/fertility toxicant

**Effects on Lactation**

not suspected of affecting lactation

***SPECIFIC TARGET ORGAN TOXICITY (STOT)***

**Single Exposure**

none

**Repeated Exposure**

liver effects

**Numerical Measures of Acute Toxicity**

**Oral (Rat)**

LD<sub>50</sub>: 2600 mg/kg (derived)

**Dermal (Rabbit)**

LD<sub>50</sub>: >5000 mg/kg (derived)

**Inhalation (Rat)**

LC<sub>50</sub>: 34 mg/L (derived)

**Additional Toxicological Information**

**Skin Irritation/Corrosion (Rabbit)**

skin irritant

**Serious Eye Damage/Irritation (Rabbit)**

slight eye irritant

**Respiratory Sensitization**

does not cause respiratory sensitization

**Skin Sensitization**

does not cause skin sensitization

**Aspiration Hazard**

possible aspiration hazard

## Section 12 – Ecological Information

### General Ecological Assessment/Overview

Toxic to aquatic life with long-lasting effects. Mobile in soils which may lead to contamination of groundwater.

### Aquatic Toxicity

#### Vertebrates (Fish)

##### Acute Toxicity

LC<sub>50</sub>: 4.9 mg/L (derived)

##### Chronic Toxicity

NOEC: not available

#### Invertebrates (Water Flea)

##### Acute Toxicity

LC<sub>50</sub>: 7.5 mg/L (derived)

##### Chronic Toxicity

NOEC: not available

#### Aquatic Plants (Freshwater Algae)

##### Acute Toxicity

EC<sub>50</sub>: 3.6 mg/L (derived)

##### Chronic Toxicity

NOEC: not available

### Terrestrial Toxicity

#### Invertebrate (Earthworm)

LC<sub>50</sub>: not available

### Persistence and Degradability

#### Persistence

very persistent (Perchloroethylene)

#### Degradability

non-rapidly degradable

### Bioaccumulative Potential

#### Bioaccumulation Potential Assessment

does not bioaccumulate

#### Bioaccumulation Factor

not relevant

### Mobility in Soils

#### Mobility in Soils Assessment

mobile in soils—may contaminate groundwater

#### Soil Organic Carbon/Water Partition Coefficient (log K<sub>oc</sub>)

2.1

### Results of PBT and vPvB Assessment

not a persistent, bioaccumulative, toxic chemical (PBT); not very persistent and very bioaccumulative (vPvB)

### Other Adverse Effects

none known

## Section 13 – Disposal Considerations

### General Assessment/Overview

Dispose of waste in accordance with all applicable regulations. Marine pollutant. Toxic to aquatic life—do not pour into waterways. Contains aggressive solvents, which may dissolve PVC pipes and fittings—do not pour down drain.

### RCRA Hazardous Waste Code(s) (40 CFR 261.20-33)

Based on this material as-supplied, used or unwanted product may be subject to RCRA regulations and classified as F001 – spent halogenated solvent used in degreasing

## Section 14 – Transportation Information

### Transportation by Ground – US Department of Transportation

#### Shipping Description

UN1950, Aerosols, 2.2

#### Exemption Eligibility

When shipped by ground, this product may be eligible for a “Limited Quantity” exception per §49 CFR 173.306.

**Transportation by Air – ICAO/IATA****Shipping Description**

UN1950, Aerosols, 2.2

**Exemption Eligibility**

When shipped by air, this product may be eligible for a “Limited Quantity” exception.

**Transportation by Water – IMO/IMDG****Shipping Description**

UN1950, Aerosols, 2.2, Marine Pollutant (Tetrachloroethylene)

**Exemption Eligibility**

When shipped by water, this product may be eligible for a “Limited Quantity” exception.

**Section 15 – Regulatory Information****Safety, Health, and Environmental Regulations/Legislation*****UNITED STATES – SELECT FEDERAL REGULATIONS*****Environmental Protection Agency (EPA)****Toxic Substances Control Act (TSCA) (15 USC 2601, et seq.)**

All chemicals known to be present in this product are either listed on the TSCA inventory or are not required to be.

**SARA Title III (42 USC 9601, et seq.)****Section 302 – Extremely Hazardous Substances (40 CFR 355)**

none

**Section 304 – Emergency Release Notification (40 CFR 302.4)**

Perchloroethylene

**Section 311/312 – Hazard Categorization (40 CFR 370.40)**

acute toxicity, chronic toxicity, sudden release of pressure

**Section 313 – Toxic Chemicals (40 CFR 372.65)**

Perchloroethylene

**Clean Air Act (42 USC ch. 85 § 7401 et seq.)****Section 112 – Hazardous Air Pollutants**

Perchloroethylene

**Section 183(e) – Commercial and Consumer Products – VOC Limit and Category (40 CFR 59 subpart C)**

not regulated as a “Brake Cleaner”

**Occupational Safety & Health Administration (OSHA)****Hazard Communication Standard**

This safety data sheet (SDS) is provided for compliance with applicable regulations of the Hazard Communication Standard of 2012 (HCS/HAZCOM 2012) found in §29 CFR 1910.1200. Federal law requires persons receiving this document to study it carefully, become aware of the hazards of this product, and notify all employees, visitors, agents, and contractors of the information contained herein.

**Consumer Product Safety Commission****Federal Hazardous Substances Act**

This product is regulated under the Federal Hazardous Substances Act, is subject to the labeling requirements of 16 CFR 1500, and must include at minimum the following cautionary statements: DANGER: Vapor harmful. Eye and skin irritant. Contents under pressure. Keep out of the reach of children.

***UNITED STATES – SELECT REGIONAL CONSIDERATIONS*****Ozone Transport Commission (OTC) – Model Rule VOC Limit and Category**

45% as “Electrical Cleaner” (complies)

**Lake Michigan Air Directors Consortium (LADCO) – Model Rule VOC Limit and Category**

45% as “Electrical Cleaner” (complies)

***UNITED STATES – SELECT STATE REGULATIONS*****California****Air Resources Board (ARB/CARB)****Regulation for Reducing Emissions from Consumer Products – VOC Limit and Category**

45% as “Electrical Cleaner” (does not comply)

**Massachusetts****“Right-to-Know” Legislation – Substance List (105 CMR 670.000)**

Perchloroethylene, Carbon Dioxide

**New Jersey****“Right-to-Know” Legislation – Hazardous Substance List (34:5A-1 et seq.)**

Perchloroethylene, Carbon Dioxide

**Pennsylvania****“Right-to-Know” Legislation – Hazardous Substance List (Chapter 323)**

Tetrachloroethene, Carbon Dioxide



**INTERNATIONAL – SELECT REGULATIONS****Canada****Environment Canada – Domestic Substances List (DSL)**

All chemicals known to be present in this product are listed on the DSL.

**China****Ministry of Environmental Protection – Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)**

All chemicals known to be present in this product are listed on the IECSC.

**European Union****European Chemical Agency – European Inventory of Existing Chemical Substances (EINECS)**

All chemicals known to be present in this product are listed on the EINECS.

**Chemical Safety Assessment**

has not been conducted on product, as-supplied

**Section 16 – Other Information****Hazardous Materials Information System (HMIS)**

Health	* 2	<b>Hazard Index</b>
Flammability	0	Least - 0
Reactivity	0	Slight - 1
Protective Equipment	X	Moderate - 2
		High - 3
		Extreme - 4

**Index of Abbreviations**

ACGIH – American Council of Governmental and Industrial Hygienists

CAS RN – Chemical Abstracts Service Registry Number

EC<sub>50</sub> – Median Effective Concentration

IATA – International Air Transport Association

ICAO – International Civil Aviation Organization

IMDG – International Maritime Dangerous Goods

IMO – International Maritime Organization

LC<sub>50</sub> – Median Lethal Concentration

LD<sub>50</sub> – Median Lethal Dose

N/A – Not Applicable

NE – Not Established

NOEC – No Observable Exposure Concentration

PEL – Permissible Exposure Limit (as required by OSHA)

TLV – Threshold Limit Value (as recommended by ACGIH)

VOC – Volatile Organic Compound

**Relevant Dates and Applicability****Date of Issuance**

November 27, 2024

**Date of Previous Revision**

December 27, 2022

**Primary Revision Change(s)**

general update

**Document Applicability**

This safety data sheet only applies to part number 1520 manufactured on or after December 1, 2021.

**Document Author**

Dan Nowlan

**Legal Disclaimer**

The information contained in this document is, to the best of Berryman Products, Inc.'s knowledge, complete and accurate but is not warranted. All materials may present unknown hazards and should be used with caution. It is the responsibility of the user to evaluate the information in a prudent manner and to use it in a manner consistent with its intended purpose. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.